


| Revision | Description | Drawn By / Date |
|----------|-------------------------------------------|-----------------|
| A | Programme Stage III – Maple Floor Surface | RR / 1-1-2025 |
| | | |
| | | |

PROGRAMME III Stage Floor
F1 Maple Floor Surface Option




1. 3" x 4" (76mm x 101mm) Vent Cove Base
2. 1-1/2" (38mm) min. Expansion Space
3. Programme III Subfloor Panel
4. Recessed Resilient ECO Pad
5. Concrete Anchor Pin Assembly
6. 25/32" (20mm) MFMA Maple Flooring
7. Vapor Retarder

| Revision | Description | Drawn By / Date |
|----------|--------------------------------------------------------|-----------------|
| A | Programme III Stage – Hardboard Faced Laminate Surface | RR / 1-1-23 |
| | | |
| | | |

PROGRAMME III Stage Floor


F2 Hardboard Faced Laminate Panel Surface Option



1. 3" x 4" (76mm x 101mm) Vent Cove Base
2. 1-1/2" (38mm) min. Expansion Space
3. Programme III Subfloor Panel
4. Recessed Resilient ECO Pad
5. Concrete Anchor Pin Assembly
6. Hardboard Faced Laminate Panel
7. Vapor Retarder

| Revision | Description | Drawn By / Date |
|----------|-----------------------------------------------|-----------------|
| A | Programme III Stage – Hardboard Floor Surface | RR / 1-1-23 |
| | | |
| | | |


PROGRAMME III Stage Floor
F3 Hardboard Surface Option
 [Added 15/32" (12mm) plywood layer]



1. 3" x 4" (76mm x 101mm) Vent Cove Base
2. 1-1/2" (38mm) min. Expansion Space
3. Programme III Subfloor Panel
4. Recessed Resilient ECO Pad
5. Concrete Anchor Pin Assembly
6. 1/4" (6mm) Hardboard Surface Layer
7. Vapor Retarder
8. 15/32" (12mm) Added Plywood Layer

| Revision | Description | Drawn By / Date |
|----------|-----------------------------------------------|-----------------|
| A | Programme III Stage – Hardboard Floor Surface | RR / 1-1-23 |
| | | |
| | | |

PROGRAMME III Stage Floor
F3 Hardboard Surface Option
 [Added 23/32" (19mm) plywood layer]



1. 3" x 4" (76mm x 101mm) Vent Cove Base
2. 1-1/2" (38mm) min. Expansion Space
3. Programme III Subfloor Panel
4. Recessed Resilient ECO Pad
5. Concrete Anchor Pin Assembly
6. 1/4" (6mm) Hardboard Surface Layer
7. Vapor Retarder
8. 23/32" (19mm) Added Plywood Layer